

IP INTERFACE N148/22



Similar to image

Technical data:

Design type		KNX
Type, explanations		KNX IP interface
Design of the product		LAN systems interface
Type of mounting		modular installation device
Operating voltage / nominal value	V	24
design of display		No
Bus system / can be used / EIB/KNX		Yes
Bus system / usable / RF bus system		No
Bus system / usable / Powernet bus system		No
Protection class IP		IP20
protocol / is supported		UIP
Communication function / web server		No
Bus system / usable / LON bus system		No
Product feature / anti-dismantling		No
Product component / Radio interface		No
Product component / IR interface		No
Product component / LED		Yes
Product property / provider dependent		No

Product property / may be updated	No
Design	modular installation device
Voltage supply of the electronics via an external voltage source AC/DC	12 to 30
Integrated bus coupling unit	yes

Certificates/approvals:

General Product Approval



Declaration of Conformity

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WW/view/en/5WG1148-1AB22/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5WG1148-1AB22

CAX-Online-Generator

<http://www.siemens.com/cax>



last change:

Oct 14, 2013