



GAMMA INSTABUS WALL SWITCH DOUBLE UP 286/2  
DELTA STYLE PLATINUM METALLIC

Technical data:	
<b>Material</b>	thermoplastic
<b>Appearance</b>	mat
<b>Color</b>	platinum
<b>Surface processing</b>	others
<b>Material / of the enclosure</b>	plastic
<b>Product component</b>	
• thermostat	No
• Lettering field	No
<b>Bus system / can be used / EIB/KNX</b>	Yes
<b>Bus system / usable / RF bus system</b>	No
<b>Bus system / usable / Powernet bus system</b>	No
<b>Bus system / usable / LON bus system</b>	No
<b>Bus system / others / suitable for use</b>	Without
• integrated / Bus coupling	No
• display	No
<b>Type of mounting</b>	flush mounted
<b>Type of display / LED</b>	No
<b>Protection class IP</b>	IP20
<b>Suitability for interaction / IR sensor</b>	No

Product feature / anti-theft/dismantling	No
Number of actuation points	8

#### Certificates/approvals:

General Product Approval

Declaration of Conformity



#### Further information:

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/lowvoltage/mall>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5WG1286-2DB42/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5WG1286-2DB42](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5WG1286-2DB42)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

[Datanorm GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Jul 1, 2013